	Application No.	Applicant(s)
Notice of Allowability	10/784,445	DEVOE ET AL.
	Examiner	Art Unit
	Melvin Curtis Mayes	1734
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendment field 5/17/05.		
2. The allowed claim(s) is/are 1-30.		
3. The drawings filed on 23 February 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948)	5. Notice of Informal F 6. Interview Summary	Patent Application (PTO-152)
Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da	tè '
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance



Application/Control Number: 10/784,445

Art Unit: 1734

EXAMINER'S AMENDMENT

(1)

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kristi Davidson on July 14, 2005 and July 21, 2005.

The application has been amended as follows:

Claim 1, line 13, after "wraps" the phrase "or the ceramic tube" has been inserted, Claims 31-43 have been cancelled.

(2)

The following is an examiner's statement of reasons for allowance:

The terminal disclaimer filed on May 17, 2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent No. 6,695,940 has been reviewed and is accepted. The terminal disclaimer has been recorded.

The prior art of record does not disclose or suggest making a ceramic tube by wrapping first electrode material, green ceramic material and second electrode material around a mandrel, each of sheet or tape material, and sintering to produce a laminated ceramic tube of wall thickness and having inner first electrode and outer second electrode, as claimed in Claim 1; or making a ceramic tube by wrapping green ceramic material around a first electrode tube in solid

Art Unit: 1734

form which serves as the supporting structure during wrapping, laminating and sintering and as the inner first electrode in the tubular reaction chamber after sintering, as claimed in Claim 18.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

(3)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Curtis Mayes whose telephone number is 571-272-1234. The examiner can normally be reached on Mon-Fri 7:30 AM - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Fiorilla can be reached on 571-272-1187. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Melvin Curtis Mayes Primary Examiner Art Unit 1734

MCM July 21, 2005